

OULO-BX Smark E-Bike For Adults

For adults weighing up to 120 kg
<https://www.ouloobikes.com/>



BK

USER MANUAL



If you have any questions and / or concerns, or if you would like more information on safety tips, please don't hesitate to contact the scooter team and visit our website <http://www.ouloobikes.com>
This manual and the safety instructions in English

SAFETY MEASURES - MUST READ

Failure to follow the following safety instructions may damage your E-Bike and void the MANUFACTURER WARRANTY & FAILURE TO COMPLY WITH THE INSTRUCTIONS SET OUT IN THIS MANUAL MAY LEAD TO MATERIAL DAMAGE AND SERIOUS INJURY, OR DEATH OF THE USER

California Proposition 65

WARNING

Operating, servicing and maintaining a passenger vehicle or off-highway motor vehicle can expose you to chemicals including engine exhaust, carbon monoxide, phthalates, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. To minimize exposure, avoid breathing exhaust, do not idle the engine except as necessary, service your vehicle in a well-ventilated area and wear gloves or wash your hands frequently when servicing your vehicle. For more information go to <https://www.p65warnings.ca.gov/products/passenger-vehicle>.

NO PASSENGERS

1 person only! This vehicle is designed as an operator-only model. The motorcycle loading limit and seating configuration do not safely allow the carrying of a passenger.

FOR RECREATIONAL OFF-ROAD USE ONLY

OULO eBike is designed and manufactured for recreational off-road use only. If you need to cross a paved or public road, get off and walk your vehicle across.

1 Riding Safety

- The device may not be used by children under the age of 14 and by persons with reduced or impaired physical, sensory or mental capacities.
- Please follow local laws and traffic rules strictly. Do not ride OULOO eBike on public roads, as this product is for off-road use only. Please understand that you can reduce the risk by following all the instructions and warnings in this manual, but you cannot eliminate all the risks. Remember that whenever you ride the OULOO eBike you risk injury from loss of control, collisions, and falls.
RIDE AT YOUR OWN RISK AND USE COMMON SENSE
- For your safety, please read the manual carefully and familiarize yourself with the vehicle, then find a safe training ground to practice. Ride within your limits. Start with EP mode at a low speed and gradually build up your off-road riding skills. For the best performance and a longer service life.
- To avoid damage to the electrical components, do not apply high pressure directly to the vehicle, expose it to rain or submerge in water. When wading in water, the water level should not exceed the wheel center.
- Do not ride in extreme weather like snow, heavy rain and storms. Slow down on uneven, wet and slippery surfaces, steep slopes, sharp turns, mud puddles and loose ground. Always keep a safe distance from other vehicles.


When Riding

1. Always wear a helmet and protective gear. Use an approved motorcycle helmet that meets the local safety standards. Wearing protective gear like knee pads and elbow pads are highly recommended.
2. Do not ride under the influence of drugs or alcohol and avoid riding when tired or fatigued.
3. Do not exceed the speed limit. Stay alert when riding and avoid using phones, cameras, earplugs, etc.
4. Always focus on the road and the riding environment. Take extra care when riding at dawn, at dusk or at night, when visibility is low.
5. The rated loading capacity is 1 person. Overloading will cause riding difficulty and risk of injury. Please do not overload or use the vehicle to carry heavy stuff.
6. Do not ride through flood water, submerge the vehicle or wade in water for a long time. The electrical components such as the controller and battery will be damaged. Brake performance will be affected when the water level is higher than the wheel center.
7. To ensure safety and vehicle performance, please ride smoothly and avoid rapid acceleration and deceleration. DO NOT brake abruptly when riding, otherwise there will be a risk for loss of control.

Safe Use

1. Always turn off the electric lock when you are not riding. Accidents can happen when the motorcycle is powered on while the rider is trying to get on/ off the vehicle.
2. When backing up or pushing the motorcycle while dismounted, be sure to turn off the electric lock.
3. When parking, turn off the Segway Dirt eBike and leave it on a flat surface. Do not park your vehicle on a slope or soft ground.
4. Do not park the Segway Dirt eBike in no-parking zones, such as an emergency exit or fire escapes.
5. Be sure to only use the charger provided in the package. Charger and battery pack must match. The charger input voltage is 100–240 V. If the charger or charging port is wet, do not charge.
6. Battery working temperature is 14 °F to 122 °F (-10 to 50 °C), with optimal performance in 50 °F to 86 °F (10 to 30 °C). Only use the battery in working temperatures and do not charge when temperature is lower than 32 °F (0 °C).

BX Drive System over view



BX Drive System Component

- 1- On-board computer
- 2- Standard Battery
- 3- Drive unit (Motor)
- 4- In-front LED
- 5- folding Unit

Computer Display Unit



Display Unit

- 1- Battery Capacity Diameter
- 2- Speed/ KM
- 3- Speed Level
- 4- Battery voltage

Computer Function



Computer Function

- 1- Speed Level +
- 2- Speed Level -
- 3- Electric Alarm
- 4- LED Light
- 5- USP Charger Port 5v

How to Charge

Connect the charger output to the vehicle charging port, then plug the charger into a power socket



CAUTION

Do not charge the battery when temperature is lower than 32 °F (0). Doing so will damage the battery. Please only charge after the temperature recovers. Please remove the battery when washing the vehicle. Do not use a high-pressure water gun to wash the battery or other electrical parts!

CAUTION

Do not charge the battery or keep the charger connected to a power socket for more than 6 hours.

NOTICE

The battery has a self-protecting function to avoid or limit damages caused by overcharge and over-discharge.

Long-time over-discharge will affect battery performance. Charge the battery immediately when battery is low. Fully


recharge the battery every 2 months. Failing to do so will void your Warranty.

Each battery has a unique number. Please read the label on the battery for important safety information.

Package Content




When unpacking, please check if all items are in good condition. If there are any missing or defective parts, please contact your dealer or after-sales service. To avoid damage to vehicle parts or to avoid accidents, please see your dealer for service and vehicle adjustment.




User Manual



Keys x 2



Tool Kit
(4 / 5 / 8 mm Allen wrench;
14 mm open-end wrench)



Charger